


LAMP PHOTOMETRIC REPORT

MODEL: 92EL62281365/WH		
POWER: 12W	VOLTAGE: 230V	WORKING VOLTAGE: 230V
MANUFACTURER: Elmark Industries JSC		

TOTAL FLUX: 1254.9 lm



γ	C0	C45	C90	C135	C180	C225	C270	C315	γ	Φ zone	Φ total	%
10	777.9	774.5	774.8	778.8	784.4	788.3	788.3	783.8	0- 10	76.06	76.06	6.06
20	687.0	680.7	680.9	687.9	698.2	706.3	706.4	697.8	10- 20	208.8	284.9	22.7
30	559.0	551.5	551.0	557.6	569.1	578.7	580.0	571.3	20- 30	290.7	575.6	45.9
40	356.6	349.9	348.6	353.2	363.0	372.3	374.5	367.5	30- 40	290.7	866.3	69
50	171.6	167.2	166.2	167.8	174.0	180.3	182.2	178.5	40- 50	200.4	1067	85
60	76.02	73.55	71.14	72.69	75.22	78.44	79.17	78.39	50- 60	105.1	1172	93.4
70	39.51	36.04	33.13	36.69	39.62	39.24	37.39	39.57	60- 70	53.82	1226	97.7
80	14.12	9.882	7.805	10.76	13.50	12.55	10.67	12.53	70- 80	25.22	1251	99.7
90	0.2582	0.2531	0.2450	0.2532	0.2310	0.2150	0.2151	0.2151	80- 90	4.101	1255	100
100									90-100			
110									100-110			
120									110-120			
130									120-130			
140									130-140			
150									140-150			
160									150-160			
170									160-170			
180									170-180			
DEG	LUMINOUS INTENSITY:cd									UNIT:lm		

C Range: 0 - 360DEG
C Interval: 10.0DEG
Test Speed: MEDIUM
Temperature:25.3°C
Operators:
Test Date:07 December 2022

γ Range: 0 - 90DEG
 γ Interval: 2.5DEG
Test System:EVERFINE GO-2000A_V1 SYSTEM V2.00.456
Humidity:65.0%
Test Distance:6.265m [K=1.0000]
Remarks:

```

γ Range: 0 - 90DEG
γ Interval: 2.5DEG
Test System:EVERFINE GO-2000A_V1 SYSTEM V2.00.456
Humidity:65.0%
Test Distance:6.265m [K=1.0000]
Remarks:

```

```

γ Range: 0 - 90DEG
γ Interval: 2.5DEG
Test System:EVERFINE GO-2000A_V1 SYSTEM V2.00.456
Humidity:65.0%
Test Distance:6.265m [K=1.0000]
Remarks:

```